Page 1 of 14

Safety Data Sheet

according to UK REACH Regulation

MIXOL® Nr. 7 Pirolgelb

evision date: 03.04.2024	Product code: PES84	1
ECTION 1: Identification of t	he substance/mixture and of the comp	any/undertaking
1. Product identifier		
MIXOL® Nr. 7 Pirolgelb		
.2. Relevant identified uses of th	ne substance or mixture and uses advised	against
Use of the substance/mixture		
Colour, Pigment		
3. Details of the supplier of the	<u>safety data sheet</u>	
Company name:	MIXOL-PRODUKTE Diebold GmbH	
Street:	Carl-Zeiss-Str. 17-19	
Place:	D-73230 Kirchheim/Teck	
Telephone:	+49/(0)7021 / 950090	Telefax: +49/(0)7021 / 5603
E-mail:	info@mixol.de	
E-mail (Contact person):	Technik@mixol.de	
Internet:	www.mixol.de	
Responsible Department:	Technik	
4. Emergency telephone	Emergency CONTACT (24 h) GBK Gr	mbH +49/(0)6132 / 84463
umber:		· /

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

May produce an allergic reaction.	l-isothiazol-3-one (3:1).
EUH210 Safety data sheet available on request.	

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

MIXOL® Nr. 7 Pirolgelb

Revision date: 03.04.2024

Product code: PES84

Page 2 of 14

Relevant ingredients

CAS No	Chemical name			Quantity		
	EC No	Index No	REACH No			
	Classification (GB CLP Regulation)				
68920-66-1	Alcohols, C16-18 and C18-unsatd.	, ethoxylated		1 - < 5 %		
	500-236-9					
	Skin Irrit. 2, Aquatic Acute 1, Aquatic Chronic 3; H315 H400 H412					
97862-59-4	1-Propanaminium, 3-amino-N-(car inner salts	boxymethyl)-N,N-dimethyl-, N-C8-18	acyl derivs., hydroxides,	1 - < 5 %		
	308-107-7					
	Eye Dam. 1, Aquatic Chronic 3; H318 H412					
61790-47-4	Amines, rosin		< 0.1 %			
	263-139-8		01-2120780340-61			
	Acute Tox. 4, Skin Irrit. 2, Eye Dan H315 H318 H317 H400 H410	Aquatic Chronic 1; H302				
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-		< 0.05 %			
	220-120-9	613-088-00-6	01-2120761540-60			
	Acute Tox. 2, Acute Tox. 4, Skin Ir Chronic 2; H330 H302 H315 H318	rit. 2, Eye Dam. 1, Skin Sens. 1, Aqua H317 H400 H411	atic Acute 1, Aquatic			
55965-84-9	reaction mass of 5-chloro-2-methy	H-isothiazol-3-one (3:1)	< 0.0015 %			
	-	613-167-00-5	01-2120764691-48			
	Acute Tox. 2, Acute Tox. 2, Acute Acute 1, Aquatic Chronic 1; H330					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Con	c. Limits, M-factors and ATE	
68920-66-1	500-236-9	Alcohols, C16-18 and C18-unsatd., ethoxylated	1 - < 5 %
	Aquatic Acute	e 1; H400: M=1	
97862-59-4	308-107-7	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts	1 - < 5 %
		0 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	
61790-47-4	263-139-8	Amines, rosin	< 0.1 %
		0 = > 2000 mg/kg; oral: ATE = 500 mg/kg	
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	< 0.05 %
		TE = 0,5 mg/l (vapours); inhalation: LC50 = 0,5 mg/l (dusts or mists); dermal: LD50 /kg; oral: LD50 = 670 - 784 mg/kg Skin Sens. 1; H317: >= 0,05 - 100	
55965-84-9	-	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	< 0.0015 %
	LD50 = 92,4 H315: >= 0,0 Skin Sens. 1/ Aquatic Acute	TE = 0,5 mg/l (vapours); inhalation: LC50 = 0,171 mg/l (dusts or mists); dermal: mg/kg; oral: LD50 = 64 mg/kg Skin Corr. 1C; H314: >= 0,6 - 100 Skin Irrit. 2; 6 - < 0,6 Eye Dam. 1; H318: >= 0,6 - 100 Eye Irrit. 2; H319: >= 0,06 - < 0,6 A; H317: >= 0,0015 - 100 e 1; H400: M=100 nic 1; H410: M=100	

SECTION 4: First aid measures

4.1. Description of first aid measures

according to UK REACH Regulation

MIXOL® Nr. 7 Pirolgelb

Revision date: 03.04.2024

Product code: PES84

Page 3 of 14

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx), Hydrogen chloride (HCI).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains.

according to UK REACH Regulation

MIXOL® Nr. 7 Pirolgelb

Revision date: 03.04.2024

Product code: PES84

Page 4 of 14

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1317-65-3	Calcium carbonate, respirable	-	4		TWA (8 h)	WEL
56-81-5	Glycerol, mist	-	10		TWA (8 h)	WEL
-	Silica, amorphous, inhalable dust	-	6		TWA (8 h)	WEL
-	Silica, amorphous, respirable dust	-	2.4		TWA (8 h)	WEL

according to UK REACH Regulation

MIXOL® Nr. 7 Pirolgelb

Revision date: 03.04.2024

Product code: PES84

Page 5 of 14

DNEL/DMEL values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts						
Worker DNEL	, long-term	inhalation	systemic	44 mg/m ³			
Worker DNEL	, long-term	dermal	systemic	12,5 mg/kg bw/day			
Consumer DN	IEL, long-term	dermal	systemic	7,5 mg/kg bw/day			
Consumer DN	IEL, long-term	oral	systemic	7,5 mg/kg bw/day			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one						
Worker DNEL	, long-term	inhalation	systemic	6,81 mg/m³			
Worker DNEL	, long-term	dermal	systemic	0,966 mg/kg bw/day			
Consumer DN	IEL, long-term	inhalation	systemic	1,2 mg/m³			
Consumer DN	IEL, long-term	dermal	systemic	0,345 mg/kg bw/day			
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one an	d 2-methyl-2H-isothiazo	ol-3-one (3:1)				
Worker DNEL	, long-term	inhalation	local	0,02 mg/m ³			
Worker DNEL	, acute	inhalation	local	0,04 mg/m ³			
Consumer DN	IEL, long-term	inhalation	local	0,02 mg/m ³			
Consumer DN	IEL, acute	inhalation	local	0,04 mg/m ³			
Consumer DN	IEL, long-term	oral	systemic	0,09 mg/kg bw/day			
Consumer DN	IEL, acute	oral	systemic	0,11 mg/kg bw/day			

according to UK REACH Regulation

MIXOL® Nr. 7 Pirolgelb

Revision date: 03.04.2024

Product code: PES84

Page 6 of 14

PNEC values

CAS No	Substance	
Environmenta	compartment	Value
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxi	ides, inner salts
Freshwater		0,013 mg/l
Marine water		0,001 mg/l
Freshwater se	diment	1 mg/kg
Marine sedime	ent	0,1 mg/kg
Micro-organis	ns in sewage treatment plants (STP)	3000 mg/l
Soil		0,8 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	
Freshwater		0,00403 mg/l
Freshwater (ir	0,0011 mg/l	
Marine water	0,000403 mg/l	
Freshwater se	diment	0,0499 mg/kg
Marine sedime	ent	0,00499 mg/kg
Micro-organis	ns in sewage treatment plants (STP)	1,03 mg/l
Soil		3 mg/kg
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3	3:1)
Freshwater		0,00339 mg/l
Freshwater (ir	termittent releases)	0,00339 mg/l
Marine water	0,00339 mg/l	
Freshwater se	0,027 mg/kg	
Marine sedime	ent	0,027 mg/kg
Micro-organis	ns in sewage treatment plants (STP)	0,23 mg/l
Soil		0,01 mg/kg

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection.

Hand protection

Wear protective gloves.

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into

according to UK REACH Regulation

MIXOL® Nr. 7 Pirolgelb							
Revision date: 03.04.2024	Product code: PES84	Page 7 of 14					
consideration.							
Skin protection							
Use of protective clothing.							
Respiratory protection							
In case of inadequate ventilation was	r respiratory protection						

In case of inadequate ventilation wear respiratory protection.

Thermal hazards No information available.

Re

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid (Dispersion)	
Colour:	yellow	
Odour:	odourless	
Odour threshold:	not applicable	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and		100 °C
boiling range:		
Flammability:		Non-flammable.
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		> 100 °C
Auto-ignition temperature:		not determined
Decomposition temperature:		> 100 °C
pH-Value:		not determined
Viscosity / kinematic:		not determined
Water solubility:		miscible
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		not determined
Density (at 20 °C):		1,22 g/cm ³
Relative vapour density:		not determined
Particle characteristics:		not applicable
2 Other information		

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

according to UK REACH Regulation

MIXOL® Nr. 7 Pirolgelb

Revision date: 03.04.2024

Product code: PES84

Page 8 of 14

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met. ATEmix: oral: > 2000 mg/kg dermal: > 2000 mg/kg Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts								
	oral	LD50 mg/kg	> 5000	Rat	Manufacturer	OECD 401			
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	OECD 402			
61790-47-4	Amines, rosin				· ·				
	oral	ATE mg/kg	500						
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	OECD 402			
2634-33-5	1,2-benzisothiazol-3(2H	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one							
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401			
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	OECD 402			
	inhalation vapour	ATE	0,5 mg/l						
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300			
55965-84-9	reaction mass of 5-chlo	ro-2-methyl-	2H-isothiazol-	3-one and 2-meth	yl-2H-isothiazol-3-one (3:1)				
	oral	LD50	64 mg/kg	Rat	Manufacturer				
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer				
	inhalation vapour	ATE	0,5 mg/l						
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer	OECD 403			

Irritation and corrosivity

according to UK REACH Regulation

MIXOL® Nr. 7 Pirolgelb

Revision date: 03.04.2024

Product code: PES84

Page 9 of 14

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/eye irritation: Based on available data, the classification criteria are not met. Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit) Method: OECD 404 Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation: Result / Evaluation: non-irritant. (Rabbit) Method: OECD 405 Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Based on available data, the classification criteria are not met. Contains Amines, rosin, 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Skin contact, Eye contact, @ES04.B002063, Inhalation.

Information on likely routes of exposure

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met. The product is not: Ecotoxic.

according to UK REACH Regulation

MIXOL® Nr. 7 Pirolgelb

Revision date: 03.04.2024

Product code: PES84

Page 10 of 14

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts								
	Acute fish toxicity	LC50	1,1 mg/l	96 h	Pimephales promelas (fathead minnow)	Manufacturer	OECD 203		
	Acute algae toxicity	ErC50	8 mg/l	96 h	Pseudokirchneriella subcapitata	Manufacturer	OECD 201		
	Acute crustacea toxicity	EC50	6,5 mg/l	48 h	Daphnia magna (Big water flea)	Manufacturer	OECD 202		
	Fish toxicity	NOEC mg/l	0,135	37 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 210		
	Crustacea toxicity	NOEC mg/l	0,32	21 d	Daphnia magna (Big water flea)	Manufacturer	OECD 211		
61790-47-4	Amines, rosin			-	-				
	Acute algae toxicity	ErC50 mg/l	0,071	72 h	Pseudokirchneriella subcapitata	Manufacturer	OECD 201		
	Algae toxicity	NOEC mg/l	0,011	3 d	Pseudokirchneriella subcapitata	Manufacturer	OECD 201		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one								
	Acute algae toxicity	ErC50 mg/l	0,110	72 h	Selenastrum capricornutum	Manufacturer	OECD 201		
	Acute crustacea toxicity	EC50 mg/l	0,643	48 h	Daphnia magna (Big water flea)	Manufacturer	OECD 202		
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215		
	Crustacea toxicity	NOEC mg/l	0,25	4 d	Mysidopsis bahia	Manufacturer			
	Acute bacteria toxicity	EC50)	23 mg/l (3 h	Activated sludge	Manufacturer	OECD 209		
55965-84-9	reaction mass of 5-chloro	-2-methyl-2l	H-isothiazol-3	B-one and	d 2-methyl-2H-isothiazol-	3-one (3:1)			
	Acute algae toxicity	ErC50 mg/l	0,0052	72 h	Skeletonema costatum	Manufacturer	OECD 201		
	Acute bacteria toxicity	EC50 mg/l()	7,92	3 h	Activated sludge	Manufacturer	OECD 209		

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name							
	Method	Value	d	Source				
	Evaluation	-	-	·				
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts							
	OECD 311	80 %	62	Manufacturer				
	Biodegradable.							
61790-47-4	Amines, rosin							
	OECD 301B	9 %	28	Manufacturer				
	Not readily biodegradable (according to OECD criteria)							
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one							
	OECD 301C	85 %	63	Manufacturer				

12.3. Bioaccumulative potential

The product has not been tested.

according to UK REACH Regulation

MIXOL® Nr. 7 Pirolgelb

Revision date: 03.04.2024

Product code: PES84

Page 11 of 14

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
61790-47-4	Amines, rosin	5,74
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

according to UK REACH Regulation

	MIXOL® Nr. 7 Pirolgelb	
Revision date: 03.04.2024	Product code: PES84	Page 12 of 14
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user No information available.		
14.7. Maritime transport in bulk according to	IMO instruments	
not applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regula EU regulatory information	ations/legislation specific for the substance or mixture	
15.1. Safety, health and environmental regula	ations/legislation specific for the substance or mixture	
15.1. Safety, health and environmental regula EU regulatory information Restrictions on use (REACH, annex XVII):	ations/legislation specific for the substance or mixture < 0,1 %	
15.1. Safety, health and environmental regula EU regulatory information Restrictions on use (REACH, annex XVII): Entry 75 Directive 2004/42/EC on VOC in		
 15.1. Safety, health and environmental regulation EU regulatory information Restrictions on use (REACH, annex XVII): Entry 75 Directive 2004/42/EC on VOC in paints and varnishes: Information according to Directive 	< 0,1 %	
 15.1. Safety, health and environmental regulatory information Restrictions on use (REACH, annex XVII): Entry 75 Directive 2004/42/EC on VOC in paints and varnishes: Information according to Directive 2012/18/EU (SEVESO III): 	< 0,1 %	renile
 15.1. Safety, health and environmental regulatory information Restrictions on use (REACH, annex XVII): Entry 75 Directive 2004/42/EC on VOC in paints and varnishes: Information according to Directive 2012/18/EU (SEVESO III): National regulatory information 	< 0,1 % Not subject to 2012/18/EU (SEVESO III) Observe restrictions to employment for juveniles according to the 'juv	venile
 15.1. Safety, health and environmental regulation EU regulatory information Restrictions on use (REACH, annex XVII): Entry 75 Directive 2004/42/EC on VOC in paints and varnishes: Information according to Directive 2012/18/EU (SEVESO III): National regulatory information Employment restrictions: 	< 0,1 % Not subject to 2012/18/EU (SEVESO III) Observe restrictions to employment for juveniles according to the 'juv work protection guideline' (94/33/EC).	/enile

SECTION 16: Other information

according to UK REACH Regulation

MIXOL® Nr. 7 Pirolgelb

Revision date: 03.04.2024

Abbreviations and acronyms

Product code: PES84

Page 13 of 14

Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Skin Sens: Skin sensitisation Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LC50: Lethal concentration. 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) IMDG: International Maritime Code for Dangerous Goods EmS: Emergency Schedules MFAG: Medical First Aid Guide IATA: International Air Transport Association ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). Relevant H and EUH statements (number and full text) Toxic if swallowed. H301 H302 Harmful if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H400 Very toxic to aquatic life.

H410

Very toxic to aquatic life with long lasting effects.

according to UK REACH Regulation

MIXOL® Nr. 7 Pirolgelb						
Revision date: 03.04.2024	Product code: PES84	Page 14 of 14				
H411	Toxic to aquatic life with long lasting effects.					
H412	Harmful to aquatic life with long lasting effects.					
EUH071	Corrosive to the respiratory tract.					
EUH208	Contains Amines, rosin, 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, react mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.	ion				
EUH210	Safety data sheet available on request.					
Further Information						
	ased on the present level of our knowledge. It does not, however, give assurance of nd establishes no contract legal rights. The receiver of our product is singularly responsible	•				

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

for adhering to existing laws and regulations.