according to UK REACH Regulation

#### MIXOL® Nr. 17 Senf

Revision date: 03.04.2024 Product code: PES92 Page 1 of 13

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

MIXOL® Nr. 17 Senf

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Colour, Pigment

### 1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

E-mail: info@mixol.de
E-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### **GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

### 2.2. Label elements

### **GB CLP Regulation**

### Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

EUH210 Safety data sheet available on request.

### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

according to UK REACH Regulation

# MIXOL® Nr. 17 Senf

Revision date: 03.04.2024 Product code: PES92 Page 2 of 13

### Relevant ingredients

| CAS No     | Chemical name  |   |                       |            |  |
|------------|--|---|-----------------------|------------|--|
|            | EC No  | Index No  | REACH No              |            |  |
|            | Classification (GB CLP Regulation)   |   |                       |            |  |
| 68920-66-1 | Alcohols, C16-18 and C18-unsatd.,  | ethoxylated   |                       | 5 - < 10 % |  |
|            | 500-236-9  |   |                       |            |  |
|            | Acute Tox. 4, Skin Irrit. 2, Eye Dam<br>H400 H412  | . 1, Aquatic Acute 1, Aquatic Chronic                   | 3; H302 H315 H318     |            |  |
| 68920-66-1 | Alcohols, C16-18 and C18-unsatd.,  | 5 - < 10 %  |                       |            |  |
|            | 500-236-9  |   |                       |            |  |
|            | Skin Irrit. 2, Aquatic Acute 1, Aquat  | ic Chronic 3; H315 H400 H412                            |                       |            |  |
| 2634-33-5  | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one   |   |                       |            |  |
|            | 220-120-9  | 613-088-00-6  | 01-2120761540-60      |            |  |
|            | Acute Tox. 2, Acute Tox. 4, Skin Irr<br>Chronic 2; H330 H302 H315 H318   | it. 2, Eye Dam. 1, Skin Sens. 1, Aqua<br>H317 H400 H411 | atic Acute 1, Aquatic |            |  |
| 55965-84-9 | reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)  |   |                       | < 0.0015 % |  |
|            | -  | 613-167-00-5  | 01-2120764691-48      |            |  |
|            | Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071 |   |                       |            |  |

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

| CAS No     | EC No   | Chemical name  | Quantity   |
|------------|---|--|------------|
|            | Specific Cond   | c. Limits, M-factors and ATE   |            |
| 68920-66-1 | 500-236-9   | Alcohols, C16-18 and C18-unsatd., ethoxylated  | 5 - < 10 % |
|            | oral: ATE = 5   | 500 mg/kg Aquatic Acute 1; H400: M=1   |            |
| 68920-66-1 | 500-236-9   | Alcohols, C16-18 and C18-unsatd., ethoxylated  | 5 - < 10 % |
|            | Aquatic Acute   | e 1; H400: M=1   |            |
| 2634-33-5  | 220-120-9   | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one   | < 0.05 %   |
|            |   | TE = 0,5 mg/l (vapours); inhalation: LC50 = 0,5 mg/l (dusts or mists); dermal: LD50 /kg; oral: LD50 = 670 - 784 mg/kg  |            |
| 55965-84-9 | -   | reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)  | < 0.0015 % |
|            | LD50 = 92,4<br>H315: >= 0,0<br>Skin Sens. 1/<br>Aquatic Acute | TE = 0,5 mg/l (vapours); inhalation: LC50 = 0,171 mg/l (dusts or mists); dermal: mg/kg; oral: LD50 = 64 mg/kg Skin Corr. 1C; H314: >= 0,6 - 100 Skin Irrit. 2; 6 - < 0,6 Eye Dam. 1; H318: >= 0,6 - 100 Eye Irrit. 2; H319: >= 0,06 - < 0,6 A; H317: >= 0,0015 - 100 e 1; H400: M=100 nic 1; H410: M=100 |            |

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

When in doubt or if symptoms are observed, get medical advice.

### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

### according to UK REACH Regulation

#### MIXOL® Nr. 17 Senf

Revision date: 03.04.2024 Product code: PES92 Page 3 of 13

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

#### After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

#### Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

#### For emergency responders

Wear personal protection equipment (refer to section 8).

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### 6.3. Methods and material for containment and cleaning up

### For containment

Stop leak if safe to do so. Cover drains.

### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

#### according to UK REACH Regulation

### MIXOL® Nr. 17 Senf

Revision date: 03.04.2024 Product code: PES92 Page 4 of 13

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

#### Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

#### Advice on general occupational hygiene

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

#### Further information on handling

Handle and open container with care.

#### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### Hints on joint storage

No information available.

### Further information on storage conditions

storage stability: >= 36 month(s)

### 7.3. Specific end use(s)

Colour, Pigment

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Exposure limits (EH40)**

| CAS No    | Substance   | ppm | mg/m³ | fibres/ml | Category      | Origin |
|-----------|---|-----|-------|-----------|---------------|--------|
| 1317-65-3 | Calcium carbonate, respirable                                   | -   | 4     |           | TWA (8 h)     | WEL    |
| 1333-86-4 | Carbon black  | -   | 3.5   |           | TWA (8 h)     | WEL    |
|           |   | -   | 7     |           | STEL (15 min) | WEL    |
| 1309-37-1 | Iron oxide, fume (as Fe)  | -   | 5     |           | TWA (8 h)     | WEL    |
|           |   | -   | 10    |           | STEL (15 min) | WEL    |
| -         | Iron salts (as Fe)  | -   | 1     |           | TWA (8 h)     | WEL    |
|           |   | -   | 2     |           | STEL (15 min) | WEL    |
| -         | Manganese: its inorganic compounds (as Mn, inhalable fraction)  | _   | 0.2   |           | TWA (8 h)     | WEL    |
| -         | Manganese: its inorganic compounds (as Mn, respirable fraction) | _   | 0.05  |           | TWA (8 h)     | WEL    |
| 57-55-6   | Propane-1,2-diol, particulates                                  | -   | 10    |           | TWA (8 h)     | WEL    |
| 1309-37-1 | Rouge, respirable   | -   | 4     |           | TWA (8 h)     | WEL    |
| 1309-37-1 | Rouge, total inhalable  | -   | 10    |           | TWA (8 h)     | WEL    |
| -         | Silica, amorphous, inhalable dust                               | -   | 6     |           | TWA (8 h)     | WEL    |
| -         | Silica, amorphous, respirable dust                              | -   | 2.4   |           | TWA (8 h)     | WEL    |

according to UK REACH Regulation

## MIXOL® Nr. 17 Senf

Revision date: 03.04.2024 Product code: PES92 Page 5 of 13

### **DNEL/DMEL values**

| CAS No                 | Substance                                       |                                 |                  |                       |
|------------------------|---|---------------------------------|------------------|-----------------------|
| DNEL type              |   | Exposure route                  | Effect           | Value                 |
| 57-55-6                | Propane-1,2-diol                                |                                 |                  |                       |
| Worker DNE             | L, long-term                                    | inhalation                      | systemic         | 168 mg/m³             |
| Worker DNE             | L, long-term                                    | inhalation                      | local            | 10 mg/m³              |
| Consumer D             | NEL, long-term                                  | inhalation                      | systemic         | 50 mg/m³              |
| Consumer D             | NEL, long-term                                  | inhalation                      | local            | 10 mg/m³              |
| Consumer D             | NEL, long-term                                  | dermal                          | systemic         | 213 mg/kg bw/day      |
| Consumer D             | NEL, long-term                                  | oral                            | systemic         | 85 mg/kg bw/day       |
| 2634-33-5              | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazo | olin-3-one                      |                  |                       |
| Worker DNE             | L, long-term                                    | inhalation                      | systemic         | 6,81 mg/m³            |
| Worker DNEL, long-term |   | dermal                          | systemic         | 0,966 mg/kg<br>bw/day |
| Consumer D             | NEL, long-term                                  | inhalation                      | systemic         | 1,2 mg/m³             |
| Consumer D             | NEL, long-term                                  | dermal                          | systemic         | 0,345 mg/kg<br>bw/day |
| 55965-84-9             | reaction mass of 5-chloro-2-methyl-2H-isothiazo | ol-3-one and 2-methyl-2H-isothi | azol-3-one (3:1) |                       |
| Worker DNE             | L, long-term                                    | inhalation                      | local            | 0,02 mg/m³            |
| Worker DNE             | L, acute  | inhalation                      | local            | 0,04 mg/m³            |
| Consumer D             | NEL, long-term                                  | inhalation                      | local            | 0,02 mg/m³            |
| Consumer D             | Consumer DNEL, acute                            |                                 | local            | 0,04 mg/m³            |
| Consumer D             | NEL, long-term                                  | oral                            | systemic         | 0,09 mg/kg<br>bw/day  |
| Consumer D             | NEL, acute                                      | oral                            | systemic         | 0,11 mg/kg<br>bw/day  |

according to UK REACH Regulation

### MIXOL® Nr. 17 Senf

Revision date: 03.04.2024 Product code: PES92 Page 6 of 13

#### **PNEC values**

| CAS No                     | Substance   |               |
|----------------------------|---|---------------|
| Environmental              | compartment   | Value         |
| 57-55-6                    | Propane-1,2-diol  | <u> </u>      |
| Freshwater                 | •   | 260 mg/l      |
| Freshwater (in             | termittent releases)  | 183 mg/l      |
| Marine water               |   | 26 mg/l       |
| Marine water (             | intermittent releases)  | 183 mg/l      |
| Freshwater se              | diment  | 572 mg/kg     |
| Marine sedime              | ent   | 57,2 mg/kg    |
| Micro-organisr             | ns in sewage treatment plants (STP)   | 20000 mg/l    |
| Soil                       |   | 50 mg/kg      |
| 2634-33-5                  | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one                                |               |
| Freshwater                 |   | 0,00403 mg/l  |
| Freshwater (in             | termittent releases)  | 0,0011 mg/l   |
| Marine water               |   | 0,000403 mg/l |
| Freshwater se              | diment  | 0,0499 mg/kg  |
| Marine sedime              | ent   | 0,00499 mg/kg |
| Micro-organisr             | ns in sewage treatment plants (STP)   | 1,03 mg/l     |
| Soil                       |   | 3 mg/kg       |
| 55965-84-9                 | reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | (3:1)         |
| Freshwater                 |   | 0,00339 mg/l  |
| Freshwater (in             | termittent releases)  | 0,00339 mg/l  |
| Marine water               |   | 0,00339 mg/l  |
| Freshwater sediment        |   |               |
| Marine sediment 0,027 mg/k |   |               |
| Micro-organisr             | ns in sewage treatment plants (STP)   | 0,23 mg/l     |
| Soil                       |   | 0,01 mg/kg    |

### 8.2. Exposure controls





### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

### Individual protection measures, such as personal protective equipment

### Eye/face protection

Wear eye protection/face protection.

### Hand protection

Wear protective gloves.

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the

according to UK REACH Regulation

#### MIXOL® Nr. 17 Senf

Revision date: 03.04.2024 Product code: PES92 Page 7 of 13

specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

### Skin protection

Use of protective clothing.

### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

#### Thermal hazards

No information available.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)
Colour: yellow - green
Odour: odourless
Odour threshold: not applicable

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flammability: Non-flammable. Lower explosion limits: not determined Upper explosion limits: not determined Flash point: > 100 °C Auto-ignition temperature: not determined Decomposition temperature: > 100 °C pH-Value: not determined Viscosity / kinematic: not determined Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative vapour density:

Particle characteristics:

not determined
not determined
not determined
not determined
not applicable

### 9.2. Other information

No information available.

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

according to UK REACH Regulation

### MIXOL® Nr. 17 Senf

Revision date: 03.04.2024 Product code: PES92 Page 8 of 13

### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

ATEmix:

oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

### **ATEmix** calculated

ATE (oral) 9186 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No     | Chemical name   |               |                 |         |              |                |  |
|------------|---|---------------|-----------------|---------|--------------|----------------|--|
|            | Exposure route  | Dose          |                 | Species | Source       | Method         |  |
| 68920-66-1 | Alcohols, C16-18 and  | C18-unsatd.,  | ethoxylated     |         |              |                |  |
|            | oral  | ATE<br>mg/kg  | 500             |         |              |                |  |
| 2634-33-5  | 1,2-benzisothiazol-3(2l   | H)-one; 1,2-b | enzisothiazolii | n-3-one |              |                |  |
|            | oral  | LD50<br>mg/kg | 670 - 784       | Rat     | Manufacturer | OECD 401       |  |
|            | dermal  | LD50<br>mg/kg | > 2000          | Rat     | Manufacturer | OECD 402       |  |
|            | inhalation vapour   | ATE           | 0,5 mg/l        |         |              |                |  |
|            | inhalation (4 h)<br>dust/mist   | LC50          | 0,5 mg/l        | Rat     | Manufacturer | OPPTS 870.1300 |  |
| 55965-84-9 | reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) |               |                 |         |              |                |  |
|            | oral  | LD50          | 64 mg/kg        | Rat     | Manufacturer |                |  |
|            | dermal  | LD50<br>mg/kg | 92,4            | Rabbit  | Manufacturer |                |  |
|            | inhalation vapour   | ATE           | 0,5 mg/l        |         |              |                |  |
|            | inhalation (4 h)<br>dust/mist   | LC50<br>mg/l  | 0,171           | Rat     | Manufacturer | OECD 403       |  |

Irritation and corrosivity

according to UK REACH Regulation

### MIXOL® Nr. 17 Senf

Revision date: 03.04.2024 Product code: PES92 Page 9 of 13

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

#### Sensitising effects

Based on available data, the classification criteria are not met.

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of

5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### Information on likely routes of exposure

Skin contact, Eye contact, @ES04.B002063, Inhalation.

### 11.2. Information on other hazards

### **Endocrine disrupting properties**

No information available.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

The product is not: Ecotoxic.

according to UK REACH Regulation

# MIXOL® Nr. 17 Senf

Revision date: 03.04.2024 Product code: PES92 Page 10 of 13

| CAS No     | Chemical name             | Chemical name    |                |           |  |              |          |
|------------|---------------------------|------------------|----------------|-----------|--|--------------|----------|
|            | Aquatic toxicity          | Dose             |                | [h]   [d] | Species                                | Source       | Method   |
| 2634-33-5  | 1,2-benzisothiazol-3(2H)- | one; 1,2-bei     | nzisothiazolin | -3-one    |  |              |          |
|            | Acute algae toxicity      | ErC50<br>mg/l    | 0,110          | 72 h      | Selenastrum<br>capricornutum           | Manufacturer | OECD 201 |
|            | Acute crustacea toxicity  | EC50<br>mg/l     | 0,643          | 48 h      | Daphnia magna (Big<br>water flea)      | Manufacturer | OECD 202 |
|            | Fish toxicity             | NOEC<br>mg/l     | 0,21           | 28 d      | Oncorhynchus mykiss<br>(Rainbow trout) | Manufacturer | OECD 215 |
|            | Crustacea toxicity        | NOEC<br>mg/l     | 0,25           | 4 d       | Mysidopsis bahia                       | Manufacturer |          |
|            | Acute bacteria toxicity   | EC50             | 23 mg/l (      | 3 h       | Activated sludge                       | Manufacturer | OECD 209 |
| 55965-84-9 | reaction mass of 5-chloro | -2-methyl-2l     | H-isothiazol-3 | 3-one and | d 2-methyl-2H-isothiazol-              | 3-one (3:1)  |          |
|            | Acute algae toxicity      | ErC50<br>mg/l    | 0,0052         | 72 h      | Skeletonema<br>costatum                | Manufacturer | OECD 201 |
|            | Acute bacteria toxicity   | EC50<br>mg/l ( ) | 7,92           | 3 h       | Activated sludge                       | Manufacturer | OECD 209 |

### 12.2. Persistence and degradability

The product has not been tested.

| CAS No    | Chemical name  |       |    |              |
|-----------|--|-------|----|--------------|
|           | Method   | Value | d  | Source       |
|           | Evaluation   |       |    |              |
| 2634-33-5 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one |       |    |              |
|           | OECD 301C  | 85 %  | 63 | Manufacturer |
|           | Moderately/partially biodegradable.                      |       |    |              |

### 12.3. Bioaccumulative potential

The product has not been tested.

### Partition coefficient n-octanol/water

| CAS No     | Chemical name   | Log Pow      |
|------------|---|--------------|
| 55965-84-9 | reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | -0,71 - 0,75 |

### BCF

| CAS No     | Chemical name   | BCF  | Species                           | Source       |
|------------|---|------|-----------------------------------|--------------|
| 2634-33-5  | 1,2-benzisothiazol-3(2H)-one;<br>1,2-benzisothiazolin-3-one   | 6,62 | Lepomis macrochirus<br>(Bluegill) | Manufacturer |
| 55965-84-9 | reaction mass of<br>5-chloro-2-methyl-2H-isothiazol-3-one<br>and 2-methyl-2H-isothiazol-3-one (3:1) | 3,6  |                                   | Manufacturer |

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

according to UK REACH Regulation

#### MIXOL® Nr. 17 Senf

Revision date: 03.04.2024 Product code: PES92 Page 11 of 13

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

| Land transport | (ADR/RID) |
|----------------|-----------|
|----------------|-----------|

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

No information available.

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Directive 2004/42/EC on VOC in

paints and varnishes:

< 10 %

### according to UK REACH Regulation

#### MIXOL® Nr. 17 Senf

Revision date: 03.04.2024 Product code: PES92 Page 12 of 13

Information according to Directive

2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

### Abbreviations and acronyms

Acute Tox: Acute toxicity
Skin Corr: Skin corrosion
Skin Irrit: Skin irritation
Eye Dam: Eye damage
Skin Sens: Skin sensitisation
Aquatic Acute: Acute aquatic hazard

Aquatic Acute: Acute aquatic nazard
Aquatic Chronic: Chronic aquatic hazard
CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

### according to UK REACH Regulation

|                           | MIXOL® Nr. 17 Senf  |               |
|---------------------------|---------------------|---------------|
| Revision date: 03.04.2024 | Product code: PES92 | Page 13 of 13 |

| Toxic if swallowed.  |
|--|
| Harmful if swallowed.  |
| Fatal in contact with skin.  |
| Causes severe skin burns and eye damage.   |
| Causes skin irritation.  |
| May cause an allergic skin reaction.   |
| Causes serious eye damage.   |
| Fatal if inhaled.  |
| Very toxic to aquatic life.  |
| Very toxic to aquatic life with long lasting effects.                                    |
| Toxic to aquatic life with long lasting effects.   |
| Harmful to aquatic life with long lasting effects.                                       |
| Corrosive to the respiratory tract.  |
| Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5    |
| -chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce |
| an allergic reaction.  |
| Safety data sheet available on request.  |
|  |

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)